

APRO-100

Ultra-compact portable RO system for HoReCa applications

Key Benefits:

- Plug & Play
- Extra low energy consumption
- Significantly reduces business operational costs

Delivery set:

- | | |
|--|-------|
| • Coated CSTL case | 1 pc. |
| • GROSS 10" prefilter housing | 2 pc. |
| • PP 5 µm prefilter cartridge | 1 pc. |
| • Carbon 5 µm + antiscalant effect prefilter cartridge | 1 pc. |
| • AQUAPHOR ULP3230-1000 membrane | 1 pc. |
| • Feed pump | 1 pc. |
| • Electrical panel with a screen | 1 pc. |



Permeate capacity, liters/hour	100
Max. TDS, ppm	1500
Power, kWh	0,06
Dimensions (LXWXH), mm	420 x 370 x 125
System recovery, %	50-75

APRO-100-SST

Ultra-compact portable RO system for HoReCa applications

Key Benefits:

- Plug & Play
- Extra low energy consumption
- Significantly reduces business operational costs



Delivery set:

- | | |
|--|-------|
| • Stainless steel case | 1 pc. |
| • GROSS 10" prefilter housing | 2 pc. |
| • PP 5 µm prefilter cartridge | 1 pc. |
| • Carbon 5 µm + antiscalant effect prefilter cartridge | 1 pc. |
| • AQUAPHOR ULP3230-1000 membrane | 1 pc. |
| • Feed pump | 1 pc. |
| • Electrical panel with a screen | 1 pc. |

Permeate capacity, liters/hour	100
Max. TDS, ppm	1500
Power, kWh	0,06
Dimensions (LXWXH), mm	420 x 370 x 125
System recovery, %	50-75

APRO-100-PRO

Ultra-compact portable RO system for HoReCa applications

Key Benefits:

- Plug & Play
- Extra low energy consumption
- Mineralization for beverage taste enhancement
- Significantly reduces business operational costs

Delivery set:

- | | |
|---|-------|
| • Coated CSTL case | 1 pc. |
| • GROSS 10" prefilter housing | 2 pc. |
| • PP 5 µm prefilter cartridge | 1 pc. |
| • Carbon 5 µm prefilter cartridge | 1 pc. |
| • AQUAPHOR ULP3230-1000 membrane | 1 pc. |
| • Feed pump | 1 pc. |
| • Bypass line for permeate mineralization | 1 pc. |
| • Electrical panel with a screen | 1 pc. |



Permeate capacity, liters/hour	100
Max. TDS, ppm	1500
Power, kWh	0,06
Dimensions (LXWXH), mm	420 x 370 x 125
System recovery, %	50-75

APRO-100-PRO-SST

Ultra-compact portable RO system for HoReCa applications

Key Benefits:

- Plug & Play
- Extra low energy consumption
- Mineralization for beverage taste enhancement
- Significantly reduces business operational costs

Delivery set:

- | | |
|---|-------|
| • Stainless steel case | 1 pc. |
| • GROSS 10" prefilter housing | 2 pc. |
| • PP 5 µm prefilter cartridge | 1 pc. |
| • Carbon 5 µm prefilter cartridge | 1 pc. |
| • AQUAPHOR ULP3230-1000 membrane | 1 pc. |
| • Feed pump | 1 pc. |
| • Bypass line for permeate mineralization | 1 pc. |
| • Electrical panel with a screen | 1 pc. |



Permeate capacity, liters/hour	100
Max. TDS, ppm	1500
Power, kWh	0,06
Dimensions (LXWXH), mm	420 x 370 x 125
System recovery, %	50-75